

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| S107 | 2 | "7254614" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 12:54 |
| S108 | 615 | roam\$4 same (home near network\$1) same (visit\$3 near network\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 12:57 |
| S109 | 167 | S108 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 12:57 |
| S110 | 2 | S109 and (service near broker) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 12:58 |
| S111 | 25 | (US-20020120728-\$ or US- 20030055878-\$ or US- 20020137525-\$ or US- 20030055868-\$ or US- 20030208595-\$ or US- 20020154642-\$ or US- 20010020215-\$ or US- 20030074443-\$ or US- 20030133558-\$ or US- 20020174073-\$).did. or (US-7103644-\$ or US- 6819919-\$ or US-6917610- \$ or US-6847988-\$ or US- 6405123-\$ or US-6421607- \$ or US-6501956-\$ or US- 6710702-\$ or US-6236365- \$ or US-6578075-\$ or US- 6421714-\$ or US-6611867- \$ or US-6938080-\$ or US- 6850963-\$ or US-6829474- \$).did. | US-PGPUB; USPAT | OR | ON | 2007/11/15 13:00 |
| S112 | 0 | S109 and (service\$1 near provision near infrastructure\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 13:03 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S113 | 14 | S109 and (service\$1 near provision) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 13:22 |
| S114 | 151 | S109 not S110 not S113 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 13:22 |
| S115 | 17 | S114 and ((home near network) same ((foreign\$2 or visit\$3) near5 network near5 address)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 14:15 |
| S116 | 63 | (context or presence) and S114 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 14:16 |
| S117 | 46 | ((client\$1 or terminal\$1 or device\$1) near5 (context or presence or location)) and S114 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/11/15 14:17 |
| S118 | 2 | "20030037110" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/13 14:09 |
| S119 | 1 | ("2003/0037110").URPN. | USPAT | OR | ON | 2007/12/13 14:10 |
| S120 | 632 | (home near network) same (visit\$3 near network) same (roam\$3) \ | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/13 14:10 |
| S121 | 632 | (home near network) same (visit\$3 near network) same (roam\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/13 14:10 |
| S122 | 168 | S120 and @ad < "20011120" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/13 14:11 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S123 | 2 | "7254614" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/13 14:11 |
| S124 | 0 | ("7254614").URPN. | USPAT | OR | ON | 2007/12/13 14:13 |
| S125 | 15 | ("20010019951" "20010044849" "20020087674" "20020156831" "20020186684" "20030018704" "20030031160" "20030050051" "20030084177" "20030190887" "6421714" "6640097" "6654363" "6728215" "7031718").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/12/13 14:13 |
| S126 | 1451 | ((access near point) or (gateway) or (service near provision near infrastructure)) and (home near network) and ((visit \$3 or foreign) near network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/18 12:39 |
| S127 | 376 | S126 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/18 10:11 |
| S128 | 236 | S127 and ((access near control) or (authenticat \$3)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/18 10:12 |
| S129 | 6 | S128 and xml | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/18 10:12 |
| S130 | 427 | ((access near point) or (gateway) or (service near provision near infrastructure)) same (home near network) same ((visit\$3 or foreign) near network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/18 12:40 |

| | | | | | | |
|------|------|--|---|----|----|---------------------|
| S131 | 116 | S130 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/18 12:40 |
| S132 | 82 | S131 and (roam\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/12/18 12:41 |
| S133 | 2 | "6937590" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 11:16 |
| S134 | 79 | "6151628" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 11:45 |
| S135 | 4 | (home near agent) same ((visit\$3 or foreign) near agent) same (value near added near service\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 11:52 |
| S136 | 25 | (home near agent) same ((visit\$3 or foreign) near agent) same (application near (gateway or server)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 11:52 |
| S137 | 6 | S136 and @ad < "20020111" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 11:53 |
| S138 | 6 | S136 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 12:25 |
| S139 | 3409 | (application near server\$1) same (broker\$1 or agent \$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 12:25 |
| S140 | 1130 | S139 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 12:27 |

| | | | | | | |
|------|-------|--|---|----|----|---------------------|
| S141 | 2467 | (home near network) and ((visit\$3 or foreign) near network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 12:27 |
| S142 | 12 | S140 and S141 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:02 |
| S143 | 18306 | (gateway or (access near point)) with application\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:08 |
| S144 | 5 | (authenticat\$3 same (web near provider\$1)) and S143 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:05 |
| S145 | 2 | S144 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:08 |
| S146 | 65 | (gateway or (access near point)) with application\$1 same (web near3 provider \$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:08 |
| S147 | 25 | S146 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:33 |
| S148 | 2 | "20030018704" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:11 |
| S149 | 3505 | gateway near service\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:33 |
| S150 | 1185 | S149 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 17:35 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S151 | 473 | S143 and S150 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 15:53 |
| S152 | 1732 | (home near (broker\$1 or agent\$1)) and ((foreign or visit\$3) near (broker\$1 or agent\$1)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:35 |
| S153 | 4 | S151 and S152 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 14:35 |
| S154 | 61 | S151 and (roam\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 17:02 |
| S155 | 13 | "6640097" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 17:03 |
| S156 | 15 | ("20010019951" "20010044849" "20020087674" "20020156831" "20020186684" "20030018704" "20030031160" "20030050051" "20030084177" "20030190887" "6421714" "6640097" "6654363" "6728215" "7031718").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/17 17:13 |
| S157 | 1 | "20030013434" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/17 17:15 |
| S158 | 263 | chat near5 location\$1 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/17 17:15 |
| S159 | 577 | chat near5 area | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/17 17:17 |
| S160 | 0 | chat near5 "area.ti" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/17 17:16 |
| S161 | 577 | (chat near5 area)".ti" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/17 17:16 |
| S162 | 153 | chat near5 area near5 room | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/17 17:35 |

| | | | | | | |
|------|------|---|---|----|-----|---------------------|
| S163 | 1188 | (455/432.1).OCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/17 17:35 |
| S164 | 1441 | (455/433).OCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/17 17:35 |
| S165 | 543 | S163 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 17:36 |
| S166 | 46 | "I222" and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 17:36 |
| S167 | 1441 | S164 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 17:36 |
| S168 | 849 | S164 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 17:36 |
| S169 | 17 | S165 and (application near server\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 17:36 |
| S170 | 25 | S168 and (application near server\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/17 17:45 |
| S171 | 33 | "6272484" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/18 19:02 |
| S172 | 14 | ("5060135" "5231578" "5706457" "5832474" "5956483" "5974430" "5991760" "6005563" "6008836" "6009442" "6018748" "6026433" "6028603" "6061055"). PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/18 19:18 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S173 | 4463 | (access\$3 or request\$3) with (web or service\$1) with ((visit\$3 or foreign or remote) near5 network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 13:04 |
| S174 | 1764 | S173 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 13:05 |
| S175 | 224 | roam\$3 and S174 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 13:53 |
| S176 | 58 | (application near3 server \$1) and S175 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 13:53 |
| S177 | 2 | (acquir\$3 near5 user near5 location\$1) and S174 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 14:42 |
| S178 | 527 | (application near3 server \$1) and S174 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 14:43 |
| S179 | 10 | (application near3 (server \$1 or gateway or proxy)) same ((request\$3 or access43) with (location \$1) with roam\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:13 |
| S180 | 6 | S179 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:13 |
| S181 | 2502 | roam\$3 and ((home or visit \$4) near2 (network)) and location and server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:46 |
| S182 | 590 | S181 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:47 |

| | | | | | | |
|------|------|--|---|----|----|---------------------|
| S183 | 2706 | (chat or email or (instant near messag\$3)) and (location\$1) and roam\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:57 |
| S184 | 584 | S183 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/14 15:58 |
| S185 | 765 | care near5 address near5 ((visit\$3 or foreign)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 18:49 |
| S186 | 241 | S185 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 18:49 |
| S187 | 17 | (application near5 (gateway or server or proxy or intermediary)) and S186 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 18:50 |
| S188 | 17 | (application near5 (gateway or server or proxy or intermediary)) and S186 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 18:50 |
| S189 | 136 | S186 and roam\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 19:03 |
| S190 | 876 | (home near network) same ((visit\$3 or foreign) near network) same (gateway or proxy or server or isp) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 19:28 |
| S191 | 222 | S190 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 19:28 |
| S192 | 137 | S191 and roam\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 19:29 |

| | | | | | | |
|------|-------|--|---|----|----|---------------------|
| S193 | 35 | S192 and S185 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 19:29 |
| S194 | 50382 | application near server | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:05 |
| S195 | 226 | (application near server) same ((first near network) or (local near network)) same ((remote or second) near network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:06 |
| S196 | 15347 | S194 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:07 |
| S197 | 30 | S195 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:08 |
| S198 | 120 | ((value near2 add\$2) near2 service\$1) and ((home near network) same ((visit\$3 or foreign) near network)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:20 |
| S199 | 26 | S198 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:20 |
| S200 | 1643 | (home near3 (broker or agent)) same ((foreign or visit\$3) near2 (broker or agent)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:34 |
| S201 | 222 | S191 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:34 |
| S202 | 137 | S201 and roam\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:35 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S203 | 39 | S202 and (care near3 address\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:38 |
| S204 | 414 | (care near3 address) with (gateway or proxy or server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:58 |
| S205 | 98 | S204 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 20:59 |
| S206 | 3 | (analyz\$3 or determin\$3 or identif\$4) with (embed \$3 near3 address\$1 near3 payload) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 22:14 |
| S207 | 468 | (analyz\$3 or determin\$3 or identif\$4) with (embed \$3 near3 address\$1) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 22:17 |
| S208 | 223 | S207 and @ad < "20020417" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 22:17 |
| S209 | 0 | (alg and nat) and S208 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 22:17 |
| S210 | 13 | (nat) and S208 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/16 22:18 |
| S211 | 13 | "6640097" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/18 23:02 |
| S212 | 10 | "6728215" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/18 23:02 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S213 | 39 | broker\$3 same (home near network) same ((visit \$3 or foreign) near network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/18 23:30 |
| S214 | 18 | S213 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/18 23:31 |
| S215 | 2000 | ((client\$ or terminal\$1) with (request\$3)) and ((local or home) near network) and ((foreign or remote) near network) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/18 23:35 |
| S216 | 635 | S215 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/18 23:35 |
| S217 | 334 | (service near provider) and S216 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/18 23:37 |
| S218 | 58 | S217 and (wireless near (device or terminal or client)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/18 23:37 |
| S219 | 0 | (care near of near address \$2) with (gateway or server or isp) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/19 00:15 |
| S220 | 356 | (care near3 address\$2) with (gateway or server or isp) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/19 00:15 |
| S221 | 86 | S220 and @ad < "20011120" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/19 00:16 |

2/19/08 10:06:47 AM

C:\Documents and Settings\ddoan\My Documents\EAST\Workspaces\10043936.wsp